STEEL DOORS & FRAMES

PRE-ASSEMBLED

SPECIFICATIONS

STANDARD FEATURES

- **Door Leaf** is 20 gauge Galvanneal, smooth, insulated
- **Frame** is 16 gauge Galvanneal with 5-3/4" throat and heavy duty hinge reinforcement
- **Sub Frame** is 16 gauge paintable Galvanneal
- Complete preassembly in factory
- White or Bronze finish
- Heavy duty crating (per job)

AVAILABLE FEATURES

- 3070 - 4070 - 6070
- Wind Rated / Florida Approved
- Masonry and Fire Rated Frames

STANDARD HARDWARE

- Heavy duty lever lock
- BB NRP hinges (26D)
- ADA compliant threshold
- Door Bottom Sweep
- Adjustable Kerf Weather Seal
- Adjustable "L" mounting clips

OPTIONAL HARDWARE

Panic Device	Closer	Mortise Lock

115 Walter Way Fayetteville, GA 30214 | 800.868.9910 | sales@designcomponents.com | designcomponents.com

PRE-ASSEMBLED DOOR DETAILS



3070 PRE-ASSEMBLED INSTALLATION
METAL BUILDING



6070 PRE-ASSEMBLED INSTALLATION
METAL BUILDING

GLASS OPTIONS



6" x 30"

24" x 30"

16" x 16"



115 Walter Way Fayetteville, GA 30214 | 800.868.9910 | sales@designcomponents.com | designcomponents.com

DOOR & FRAME CONSTRUCTION DETAILS

BOTTOM SWEEP



115 Walter Way Fayetteville, GA 30214 | 800.868.9910 | sales@designcomponents.com | designcomponents.com